



```
...  
\usepackage{pstricks-add}  
\pagestyle{empty}  
\begin{document}  
% Definition of new arrows "diamond" and "diamond*" (d and d*)  
% using adapted dot definitions  
\makeatletter
```

```

\newpsfontdot{ArrowDiamond}%
[1.9 0.0 0.0 1.9 0.1 -0.70775]{Symbol}{<E0>}
\newpsfontdot{ArrowDiamond*}%
[2.3 0.0 0.0 2.3 0.38 -0.6]{Symbol}{<A8>}
\@namedef{psas@d}{\psk@dsize \psds@ArrowDiamond 90 rotate 0 0 Dot}
\@namedef{psas@d*}{\psk@dsize \@nameuse{psds@ArrowDiamond*} 90 rotate 0 0 Dot}
\makeatother

\begin{pspicture}(4,4)
  \psline[arrowscale=2]{d-d}(0,4)(4,4)
  \psline[arrowscale=4]{d-d*}(0,2)(4,2)
  \psline[arrowscale=10]{d->}(4,0)
\end{pspicture}

\begin{pspicture}(3,5)
  \psset{arrowscale=3,arrows=d-d}
  \psline(3,3)
  \psarc(0,0){2}{0}{90}
  \psarc[arrowsize=2mm]{d*-d*}(1,1){2}{20}{70}
\end{pspicture}

\begin{pspicture}(3,5)
  \psset{arrowscale=3,arrows=-[]-[]}
  \psline(3,3)
  \psarc(0,0){2}{0}{90}
  \psarc(1,1){2}{20}{70}
\end{pspicture}
...

```